


FLOOR SCALES



STATIONARY WEIGHING INDUSTRIAL DURABILITY



Cardinal GroundForce
model FH-555-II floor scale
pictured here with optional
model 190 digital weight indicator.

- Pit Frames Available for All Floor Scale Types
- Anti-Corrosion, Baked-on Polyester Powder Paint
- Electronic and Hydraulic Floor Scale Types Available
- Large Selection of Ramps, Weight Indicators, and Wi-Fi Options
- All Parts are Machine Manufactured in Cardinal Scale's Factory



Cardinal RuggedWeigh
model FH-544-F floor scale
pictured here with optional model
210 digital weight indicator and
model FH-501E ramp

FRAMELESS FLOOR SCALES with Smooth Decks



FH-144-II


- Smooth Deck for Roll-on Carts
- Channel Construction for Superior Deck Strength
- Baked-on Polyester Tan Paint or Stainless Steel
- Top Side Access to Self-Leveling Load Cells
- Stainless Steel Potted Load Cells
- Forklift Runner Available for Moving the Scale

**IDEAL FOR
LAUNDRY CART
WEIGHING**



FH-101

Optional ramps provide easy access to the scale for pallet jacks, forklifts, and rolling carts.



FH-144-IIS

FRAMELESS FLOOR SCALES | Smooth Deck*

Model	Capacity	Construction	Platform Size	Platform Height	Shipping Weight
FH-133-II	1,000 lb x .2 lb	Mild Steel	3 ft x 3 ft	3.4 in	165 lb
FH-144-II	1,000 lb x .2 lb	Mild Steel	4 ft x 4 ft	3.4 in	240 lb
FH-155-II	1,000 lb x .2 lb	Mild Steel	5 ft x 5 ft	3.4 in	330 lb
FH-233-II	2,000 lb x .5 lb	Mild Steel	3 ft x 3 ft	3.4 in	165 lb
FH-244-II	2,000 lb x .5 lb	Mild Steel	4 ft x 4 ft	3.4 in	240 lb
FH-255-II	2,000 lb x .5 lb	Mild Steel	5 ft x 5 ft	3.4 in	330 lb
FH-133-IIS	1,000 lb x .2 lb	Stainless Steel	3 ft x 3 ft	3.4 in	165 lb
FH-144-IIS	1,000 lb x .2 lb	Stainless Steel	4 ft x 4 ft	3.4 in	240 lb
FH-155-IIS	1,000 lb x .2 lb	Stainless Steel	5 ft x 5 ft	3.4 in	330 lb
FH-233-IIS	2,000 lb x .5 lb	Stainless Steel	3 ft x 3 ft	3.4 in	165 lb
FH-244-IIS	2,000 lb x .5 lb	Stainless Steel	4 ft x 4 ft	3.4 in	240 lb
FH-255-IIS	2,000 lb x .5 lb	Stainless Steel	5 ft x 5 ft	3.4 in	330 lb

RAMPS | Smooth Deck

Model	Ramp Width	Ramp Length	Shipping Weight**
FH-100	3 ft	28.5 in	81 lb
FH-101	4 ft	28.5 in	103 lb
FH-102	5 ft	28.5 in	127 lb
FH-100S	3 ft	28.5 in	81 lb
FH-101S	4 ft	28.5 in	103 lb
FH-102S	5 ft	28.5 in	127 lb

PIT FRAMES

Model	Platform Size	Shipping Weight
PF-FH-133-II	3 ft x 3 ft	100 lb
PF-FH-144-II	4 ft x 4 ft	122 lb
PF-FH-155-II	5 ft x 5 ft	144 lb
PF-FH-233-II	3 ft x 3 ft	100 lb
PF-FH-244-II	4 ft x 4 ft	122 lb
PF-FH-255-II	5 ft x 5 ft	144 lb
PF-FH-133-IIS	3 ft x 3 ft	100 lb
PF-FH-144-IIS	4 ft x 4 ft	122 lb
PF-FH-155-IIS	5 ft x 5 ft	144 lb
PF-FH-233-IIS	3 ft x 3 ft	100 lb
PF-FH-244-IIS	4 ft x 4 ft	122 lb
PF-FH-255-IIS	5 ft x 5 ft	144 lb

* All scales listed here are non-NTEP legal for trade. Contact factory for additional sizes and capacities. All scales over 7 ft wide require special shipping - consult factory for freight rate. Stainless steel load cells. Ramps must be added if required. Standard cable length 15 ft. Specify FH cable 15 ft or FH cable 30 ft.

** Shipping weights are approximate for each ramp.



ECONOMICAL FLOOR SCALES



- Economically Priced – High Value
- Robotically-Welded for Accuracy
- Adjustable Height Load Cell Feet
- Baked-on Polyester Tan Paint
- Interlocking Ramps Available
- Low-profile Design with Flexible Four-way Approach
- Checkered Steel Scale Deck Provides Traction
- Specialized Flexible Footing Compensates for Uneven Floors




Cardinal RuggedWeigh model FH-544-F floor scale pictured here with optional model 210 digital weight indicator and model FH-501E ramp



FH-500E



The stainless steel load cells, wiring, and stainless steel junction box are fully protected within the main channel steel via exact cuts made in the channel providing superior protection.



Optional access ramps with checkered decks feature pads with holes in them which extend and allow the feet of the RuggedWeigh to connect and lock in place for a quick and easy setup.

RUGGEDWEIGH FLOOR SCALES | Checkered Deck

Model	Capacity	Construction	Platform Size	Platform Height	NTEP	Shipping Weight
FH-533-F	5,000 lb x 1 lb	Mild Steel	3 ft x 3 ft	3.4 in	•	146 lb
FH-544-F	5,000 lb x 1 lb	Mild Steel	4 ft x 4 ft	3.4 in	•	277 lb
FH-555-F	5,000 lb x 1 lb	Mild Steel	5 ft x 5 ft	3.4 in	•	404 lb
FH-533-FS	5,000 lb x 1 lb	Stainless Steel	3 ft x 3 ft	3.4 in	•	146 lb
FH-544-FS	5,000 lb x 1 lb	Stainless Steel	4 ft x 4 ft	3.4 in	•	277 lb
FH-555-FS	5,000 lb x 1 lb	Stainless Steel	5 ft x 5 ft	3.4 in	•	404 lb
FH-1044-F**	10,000 lb x 2 lb	Mild Steel	4 ft x 4 ft	3.4 in		277 lb
FH-1055-F**	10,000 lb x 2 lb	Mild Steel	5 ft x 5 ft	3.4 in		404 lb

RAMPS | Checkered Deck

Model	Ramp Width	Ramp Length	Shipping Weight*
FH-500E	3 ft	28.5 in	150 lb
FH-501E	4 ft	28.5 in	190 lb
FH-502E	5 ft	28.5 in	230 lb
FH-500ES	3 ft	28.5 in	150 lb
FH-501ES	4 ft	28.5 in	190 lb
FH-502ES	5 ft	28.5 in	230 lb

PRE-CALIBRATED SCALES WITH INDICATOR | RuggedWeigh Floor Scales

Model	Capacity	Construction	Platform Size	Platform Height	NTEP	Shipping Weight
FH-544F-180	5,000 lb x 1 lb	Mild Steel	4 ft x 4 ft	3.4 in	•	281 lb
FH-533F-204	5,000 lb x 1 lb	Mild Steel	3 ft x 3 ft	3.4 in	•	146 lb
FH-544F-204	5,000 lb x 1 lb	Mild Steel	4 ft x 4 ft	3.4 in	•	282 lb
FH-555F-204	5,000 lb x 1 lb	Mild Steel	5 ft x 5 ft	3.4 in	•	404 lb


* Shipping weights are approximate for each ramp.
 ** Ramps and pit frame not available for these models.

RAMPS | Checkered Deck

Model	Ramp Width	Ramp Length	Shipping Weight*
FH-501E	4 ft	28.5 in	190 lb
FH-500E	3 ft	28.5 in	150 lb
FH-501E	4 ft	28.5 in	190 lb
FH-502E	5 ft	28.5 in	230 lb

EXTRA-HEAVY DUTY FLOOR SCALES

Mild Steel



- Extra Steel Reinforced Heavy-Duty Construction
- Top Side Access to Self-Leveling and Adjustable Height Load Cells
- Stainless Steel Hermetically-Sealed Waterproof Load Cells
- Channel Construction Load Cell Protection from Forklifts
- Checkered Steel Scale Deck Provides Traction



Cardinal Scale's legendary FloorHugger floor scales feature extra-steel reinforced construction for superior load cell protection against forklifts.



Cardinal Floor Hugger model FHN-1054 floor scale pictured here with optional model 190 digital weight indicator

EXTRA HEAVY-DUTY FLOOR HUGGERS | Checkered Deck*

Model	Capacity	Platform Size	Platform Height	NTEP	Shipping Weight
FHN-533	5,000 lb x 1 lb	3 ft x 3 ft	3.8 in	•	467 lb
FHN-544	5,000 lb x 1 lb	4 ft x 4 ft	3.8 in	•	521 lb
FHN-554	5,000 lb x 1 lb	5 ft x 4 ft	3.8 in	•	610 lb
FHN-555	5,000 lb x 1 lb	5 ft x 5 ft	3.8 in	•	701 lb
FHN-564	5,000 lb x 1 lb	6 ft x 4 ft	3.8 in	•	745 lb
FHN-565	5,000 lb x 1 lb	6 ft x 5 ft	3.8 in	•	715 lb
FHN-575	5,000 lb x 1 lb	7 ft x 5 ft	3.8 in	•	940 lb
FHN-584	5,000 lb x 1 lb	8 ft x 4 ft	3.8 in	•	735 lb
FHN-1044	10,000 lb x 2 lb	4 ft x 4 ft	3.8 in	•	521 lb
FHN-1054	10,000 lb x 2 lb	5 ft x 4 ft	3.8 in	•	610 lb
FHN-1055	10,000 lb x 2 lb	5 ft x 5 ft	3.8 in	•	701 lb
FHN-1064	10,000 lb x 2 lb	6 ft x 4 ft	3.8 in	•	745 lb
FHN-1075	10,000 lb x 2 lb	7 ft x 5 ft	3.8 in	•	940 lb

PIT FRAMES

Model	Platform Size	Shipping Weight
PF-FHN-533	3 ft x 3 ft	100 lb
PF-FHN-544	4 ft x 4 ft	122 lb
PF-FHN-554	5 ft x 4 ft	133 lb
PF-FHN-555	5 ft x 5 ft	144 lb
PF-FHN-564	6 ft x 4 ft	144 lb
PF-FHN-565	6 ft x 5 ft	160 lb
PF-FHN-575	7 ft x 5 ft	168 lb
PF-FHN-584	8 ft x 4 ft	168 lb
PF-FHN-1044	4 ft x 4 ft	122 lb
PF-FHN-1054	5 ft x 4 ft	133 lb
PF-FHN-1055	5 ft x 5 ft	144 lb
PF-FHN-1064	6 ft x 4 ft	144 lb
PF-FHN-1075	7 ft x 5 ft	168 lb

RAMPS | Checkered Deck

Model	Ramp Width	Ramp Length	Shipping Weight**
FHN-500	3 ft	32.5 in	155 lb
FHN-501	4 ft	32.5 in	185 lb
FHN-501	4 ft	32.5 in	185 lb
FHN-502	5 ft	32.5 in	231 lb
FHN-502	5 ft	32.5 in	231 lb
FHN-501	4 ft	32.5 in	185 lb
FHN-503	6 ft	32.5 in	272 lb
FHN-502	5 ft	32.5 in	231 lb
FHN-503	6 ft	32.5 in	272 lb
FHN-502	5 ft	32.5 in	231 lb
FHN-504	7 ft	32.5 in	313 lb
FHN-501	4 ft	32.5 in	185 lb
FHN-1001	4 ft	32.5 in	185 lb
FHN-1001	4 ft	32.5 in	185 lb
FHN-1002	5 ft	32.5 in	231 lb
FHN-1002	5 ft	32.5 in	231 lb
FHN-1001	4 ft	32.5 in	185 lb
FHN-1003	6 ft	32.5 in	272 lb
FHN-1002	5 ft	32.5 in	231 lb
FHN-1004	7 ft	32.5 in	313 lb

PRE-CALIBRATED WITH INDICATOR | Floor Huggers

Model	Capacity	Platform Size	Platform Height	NTEP	Shipping Weight
FHN-544-180	5,000 lb x 1 lb	4 ft x 4 ft	3.8 in	•	521 lb
FHN-544-204	5,000 lb x 1 lb	4 ft x 4 ft	3.8 in	•	521 lb

* Stainless steel load cells. Leveling adjustment from top of deck. Scale includes 15 ft load cell cable and lifting eye bolt. Specify FH cable 15 ft or FH cable 30 ft. Ramps must be added if required.
 ** Shipping weights are approximate for each ramp.

PIT FRAMES


Model	Platform Size	Shipping Weight
PF-FHN-544-180	4 ft x 4 ft	122 lb
PF-FHN-544-204	4 ft x 4 ft	122 lb

RAMPS | Checkered Deck

Model	Ramp Width	Ramp Length	Shipping Weight
FHN-501	4 ft	32.5 in	185 lb
FHN-501	4 ft	32.5 in	185 lb


BASE ANCHORS

Model	Description
BA510K	(4) Painted base anchor and bolts for FH up to 10,000 lb capacity
BA20K	(4) Painted base anchor and bolts for FH up to 20,000 lb capacity



EXTRA-HEAVY DUTY FLOOR SCALES

Stainless Steel



FHN-544S



* Most models – see chart below.

- Corrosion-Resistant Stainless Steel Platform
- Washdown for Easy Clean-up
- Top Side Access to Self-Leveling and Adjustable Height Load Cells
- Stainless Steel Hermetically-Sealed Waterproof Load Cells
- Checkered Steel Scale Deck Provides Traction
- Extra-Large Sizes and Capacities Available

STAINLESS STEEL FLOOR HUGGERS | Checkered Deck*

Model	Capacity	Platform Size	Platform Height	NTEP	Shipping Weight
FHN-533S	5,000 lb x 1 lb	3 ft x 3 ft	3.8 in	•	467 lb
FHN-544S	5,000 lb x 1 lb	4 ft x 4 ft	3.8 in	•	521 lb
FHN-554S	5,000 lb x 1 lb	5 ft x 4 ft	3.8 in	•	610 lb
FHN-555S	5,000 lb x 1 lb	5 ft x 5 ft	3.8 in	•	701 lb
FHN-564S	5,000 lb x 1 lb	6 ft x 4 ft	3.8 in	•	745 lb
FHN-575S	5,000 lb x 1 lb	7 ft x 5 ft	3.8 in	•	940 lb
FHN-1044S	10,000 lb x 2 lb	4 ft x 4 ft	3.8 in	•	521 lb
FHN-1054S	10,000 lb x 2 lb	5 ft x 4 ft	3.8 in	•	610 lb
FHN-1055S	10,000 lb x 2 lb	5 ft x 5 ft	3.8 in	•	701 lb
FHN-1064S	10,000 lb x 2 lb	6 ft x 4 ft	3.8 in	•	745 lb
FHN-1075S	10,000 lb x 2 lb	7 ft x 5 ft	3.8 in	•	940 lb

* Scale includes 15 ft load cell cable and lifting eye bolt. Ramps must be added if desired. Specify FH cable 15 ft or FH cable 30 ft.

** Shipping weights are approximate for each ramp.

PIT FRAMES

Model	Platform Size	Shipping Weight
PF-FHN-533S	3 ft x 3 ft	100 lb
PF-FHN-544S	4 ft x 4 ft	122 lb
PF-FHN-554S	5 ft x 4 ft	133 lb
PF-FHN-555S	5 ft x 5 ft	144 lb
PF-FHN-564S	6 ft x 4 ft	144 lb
PF-FHN-575S	7 ft x 5 ft	168 lb
PF-FHN-1044S	4 ft x 4 ft	122 lb
PF-FHN-1054S	5 ft x 4 ft	133 lb
PF-FHN-1055S	5 ft x 5 ft	144 lb
PF-FHN-1064S	6 ft x 4 ft	144 lb
PF-FHN-1075S	7 ft x 5 ft	168 lb

RAMPS | Checkered Deck

Model	Ramp Width	Ramp Length	Shipping Weight**
FHN-500S	3 ft	32.5 in	155 lb
FHN-501S	4 ft	32.5 in	185 lb
FHN-501S	4 ft	32.5 in	185 lb
FHN-502S	5 ft	32.5 in	231 lb
FHN-502S	5 ft	32.5 in	231 lb
FHN-501S	4 ft	32.5 in	185 lb
FHN-503S	6 ft	32.5 in	272 lb
FHN-502S	5 ft	32.5 in	231 lb
FHN-504S	7 ft	32.5 in	313 lb
FHN-1001S	4 ft	32.5 in	266 lb
FHN-1001S	4 ft	32.5 in	266 lb
FHN-1002S	5 ft	32.5 in	400 lb
FHN-1002S	5 ft	32.5 in	400 lb
FHN-1001S	4 ft	32.5 in	266 lb
FHN-1003S	6 ft	32.5 in	472 lb
FHN-1002S	5 ft	32.5 in	400 lb
FHN-1004S	7 ft	32.5 in	542 lb

STAINLESS STEEL BASE ANCHORS

Model	Description
BA510KSS	(4) Base anchor and bolts for FHN up to 10,000 lb capacity
BA20KSS	(4) Base anchor and bolts for FHN 20,000

FULL-FRAME EXTRA-HEAVY DUTY FLOOR SCALES



- Lower Frame Surrounds Scale Perimeter
- Easy Pit Installation
- Stainless Steel Hermetically-Sealed Waterproof Load Cells
- Top-Side Access Junction Box Panel
- Notched Lower Frame for Easy Ramp Attachment
- Forklift Runner Available for Moving the Scale



Cardinal GroundForce model FH-555-II floor scale pictured here with optional model 190 digital weight indicator and FH-502



FH-555-II

**IDEAL FOR
PIT INSTALLATION
FLUSH-MOUNTED
WITH FLOOR SURFACE**

FULL-FRAME EXTRA-HEAVY DUTY FLOOR SCALES | Checkered Deck

Model	Capacity	Platform Size	Platform Height	NTEP	Shipping Weight
FH-544-II	5,000 lb x 1 lb	4 ft x 4 ft	3.8 in	•	521 lb
FH-554-II	5,000 lb x 1 lb	5 ft x 4 ft	3.8 in	•	551 lb
FH-555-II	5,000 lb x 1 lb	5 ft x 5 ft	3.8 in	•	701 lb
FH-564-II	5,000 lb x 1 lb	6 ft x 4 ft	3.8 in	•	724 lb
FH-575-II	5,000 lb x 1 lb	7 ft x 5 ft	3.8 in	•	971 lb
FH-1044-II	10,000 lb x 2 lb	4 ft x 4 ft	3.8 in	•	521 lb
FH-1054-II	10,000 lb x 2 lb	5 ft x 4 ft	3.8 in	•	551 lb
FH-1055-II	10,000 lb x 2 lb	5 ft x 5 ft	3.8 in	•	701 lb
FH-1064-II	10,000 lb x 2 lb	6 ft x 4 ft	3.8 in	•	724 lb
FH-1075-II	10,000 lb x 2 lb	7 ft x 5 ft	3.8 in	•	971 lb
FH-2055-II	20,000 lb x 5 lb	5 ft x 5 ft	5.3 in	•	975 lb
FH-2064-II	20,000 lb x 5 lb	6 ft x 4 ft	5.3 in	•	950 lb
FH-2075-II	20,000 lb x 5 lb	7 ft x 5 ft	5.3 in	•	1,290 lb
FH-2086-II	20,000 lb x 5 lb	8 ft x 6 ft	5.3 in	•	1,675 lb
FH-2097-II	20,000 lb x 5 lb	9 ft x 7 ft	5.3 in	•	2,010 lb
FH-201010-II**	20,000 lb x 5 lb	10 ft x 10 ft	5.3 in	•	3,962 lb
FH-201210-II**	20,000 lb x 5 lb	12 ft x 10 ft	6.3 in	•	4,287 lb

RAMP | Checkered Deck

Model	Ramp Width	Ramp Length	Shipping Weight*
FH-501	4 ft	32.5 in	185 lb
FH-501	4 ft	32.5 in	185 lb
FH-502	5 ft	32.5 in	231 lb
FH-502	5 ft	32.5 in	231 lb
FH-501	4 ft	32.5 in	185 lb
FH-503	6 ft	32.5 in	272 lb
FH-502	5 ft	32.5 in	231 lb
FH-504	7 ft	32.5 in	313 lb
FH-501	4 ft	32.5 in	185 lb
FH-501	4 ft	32.5 in	185 lb
FH-502	5 ft	32.5 in	231 lb
FH-502	5 ft	32.5 in	231 lb
FH-501	4 ft	32.5 in	185 lb
FH-503	6 ft	32.5 in	272 lb
FH-502	5 ft	32.5 in	231 lb
FH-504	7 ft	32.5 in	313 lb
FH-1502	5 ft	41.3 in	490 lb
FH-1501	4 ft	41.3 in	400 lb
FH-1503	6 ft	41.3 in	575 lb
FH-1502	5 ft	41.3 in	490 lb
FH-1504	7 ft	41.3 in	656 lb
FH-1503	6 ft	41.3 in	575 lb
FH-1505	8 ft	41.3 in	735 lb
FH-1504	7 ft	41.3 in	656 lb
FH-1506	9 ft	41.3 in	816 lb
FH-1507	10 ft	41.3 in	895 lb
FH-1507	10 ft	41.3 in	895 lb

* Shipping weights are approximate for each ramp.
** These models are wide load shipments.

ELECTRONIC FLOOR SCALES with Gas-Assisted Lift Deck



- Gas-Assisted Cylinder Lifting Mechanism
- Easy Internal Access for Washdown Cleaning
- Stainless Steel Platforms for Corrosion Resistance
- Stainless Steel Hermetically-Sealed Waterproof Load Cells
- Also Available in Mild Steel



EASY INTERNAL ACCESS FOR WASHDOWN CLEANING



FHLT-555S floor scale
pictured here with optional
model 190 digital weight indicator

LIFT-TOP FLOOR HUGGERS | Smooth Deck

Model	Capacity	Construction	Platform Size	Platform Height	Shipping Weight
FHLT-544S	5,000 lb x 1 lb	Stainless Steel	4 ft x 4 ft	4.0 in	560 lb
FHLT-555S	5,000 lb x 1 lb	Stainless Steel	5 ft x 5 ft	4.0 in	709 lb
FHLT-1044S	10,000 lb x 2 lb	Stainless Steel	4 ft x 4 ft	4.0 in	560 lb
FHLT-1055S	10,000 lb x 2 lb	Stainless Steel	5 ft x 5 ft	4.0 in	709 lb
FHLT-1064S	10,000 lb x 2 lb	Stainless Steel	6 ft x 4 ft	4.0 in	730 lb

All scales listed here are non-NTEP legal for trade.
* Shipping weights are approximate for each ramp.


RAMPS | Smooth Deck

Model	Ramp Width	Ramp Length	Shipping Weight
1943-D025-1A	4 ft	42 in	271 lb
1943-D025-2A	4 ft	42 in	271 lb
1943-D025-2A	4 ft	42 in	271 lb

HYDRAULIC FLOOR SCALES



- 10-Year Scale Warranty, Including Load Cells
- Your Choice of Mild or Stainless Steel Platforms
- Immune to Electrical Interference
- Deck Plates Lift Off for Top Side Internal Access
- Safe for Operation in Most Hazardous Areas
- Optional Food-Grade Hydraulic Fluid Available for Food Processing Facilities



HH-555S

GUARDIAN HYDRAULIC FLOOR SCALES | Checkered Deck

Model	Capacity	Construction	Platform Size	Platform Height	Shipping Weight*
HH-533	5,000 lb x 1 lb	Mild Steel	3 ft x 3 ft	4.7 in	452 lb
HH-544	5,000 lb x 1 lb	Mild Steel	4 ft x 4 ft	4.7 in	564 lb
HH-555	5,000 lb x 1 lb	Mild Steel	5 ft x 5 ft	4.7 in	744 lb
HH-544S	5,000 lb x 1 lb	Stainless Steel	4 ft x 4 ft	4.7 in	564 lb
HH-555S	5,000 lb x 1 lb	Stainless Steel	5 ft x 5 ft	4.7 in	744 lb
HH-1044S	10,000 lb x 2 lb	Stainless Steel	4 ft x 4 ft	4.7 in	596 lb
HH-1055S	10,000 lb x 2 lb	Stainless Steel	5 ft x 5 ft	4.7 in	776 lb

All scales listed here are non-NTEP legal for trade.
* Shipping weights are approximate for each ramp.



Cardinal Scale's Guardian scales feature hydraulic load cells which are the longest-lasting load cells available on the market.



HYDRAULIC FLOOR SCALES with Gas-Assisted Lift Deck

- 10-Year Scale Warranty, Including Load Cells
- Easy Internal Access for Washdown Cleaning
- The Gas-Assisted Cylinders Do All the Heavy Lifting For You
- Gas-Assisted Cylinder Lifting Mechanism
- Floor Scale Itself is Impervious Against Water Damage
- Your Choice of Mild or Stainless Steel Platforms



HGA-555S

GAS-ASSISTED CYLINDER LIFT-TOP DECK GUARDIAN HYDRAULIC FLOOR SCALES | Checkered Deck

Model	Capacity	Construction	Platform Size	Platform Height	Shipping Weight*
HGA-555	5,000 lb x 1 lb 2,500 kg x 0.5 kg	Mild Steel	5 ft x 5 ft 1.5 m x 1.5 m	4.7 in	772 lb 350 kg
HGA-1055	10,000 lb x 2 lb 4,500 kg x 1 kg	Mild Steel	5 ft x 5 ft 1.5 m x 1.5 m	4.7 in	804 lb 365 kg
HGA-544S	5,000 lb x 1 lb 2,500 kg x 0.5 kg	Stainless Steel	4 ft x 4 ft 1.2 m x 1.2 m	4.7 in	623 lb 283 kg
HGA-555S	5,000 lb x 1 lb 2,500 kg x 0.5 kg	Stainless Steel	5 ft x 5 ft 1.5 m x 1.5 m	4.7 in	804 lb 365 kg
HGA-1055S	10,000 lb x 2 lb 4,500 kg x 1 kg	Stainless Steel	5 ft x 5 ft 1.5 m x 1.5 m	4.7 in	814 lb 370 kg

All scales listed here are non-NTEP legal for trade.
* Shipping weights are approximate for each ramp.

SOLD BY:



102 East Daugherty St., Webb City, MO 64870 USA
Toll-Free: (800) 641-4237 E-mail: cardinal@cardet.com
www.CardinalScale.com

Cardinal Scale reserves the right to improve, enhance or modify features and specifications without prior notice. All registered trademarks are the property of their respective owners.

© Copyright 2024 Cardinal Scale Mfg. Co. • Printed in USA • MWC/4K/0524/411D